



Digitalock

ELECTRONIC LOCKS FOR SCHOOLS



ADA COMPLIANT LOCKER LOCKS FOR METAL LOCKERS

CURRENT ADA GUIDELINES REQUIRE 5% OF LOCKERS TO BE ADA COMPLIANT. OFTEN, THESE ADA COMPLIANT LOCKERS ARE ORDERED WITHOUT A LOCKING DEVICE. THIS LEAVES THE END USER RESPONSIBLE FOR PROVIDING HIS/HER OWN LOCK.

SINCE OFF THE SHELF LOCKER LOCKS SUCH AS PADLOCKS, DIAL COMBINATION LOCKS AND KEY LOCKS ARE NOT ADA COMPLIANT, THE LOCKER -ALTHOUGH ADA COMPLIANT WHEN PURCHASED- BECOMES NON-COMPLIANT WHEN LOCKED WITH THE END USERS' SUPPLIED LOCK.

CURRENTLY, DIGILOCK ONE-TOUCH ACCESS LOCKS ARE THE ONLY LOCKS THAT MEET ADA GUIDELINES. WHEN ORDERING ADA COMPLIANT LOCKERS, MAKE SURE THEY ARE EQUIPPED WITH DIGILOCK ADA COMPLIANT LOCKS TO ENSURE THAT YOUR LOCKERS MEET ADA GUIDELINES.

FEATURES

- ADA Compliant*
- One-touch access
- Snap together design provides instant installation to all metal lockers
- High security lock with a 1/2" deadbolt or deadlatch
- Audio / Visual Indicators for the visual and hearing impaired
- Non-handed
- Nickel finish
- Operates on 4-AA or 4-AAA batteries (included) depending on model, with a battery life of 3-5 years depending on usage





T30

Is designed for lockers with handles and a vertical locking bar. Touching the User Button Key to the lock will unlock the 1/2" deadbolt for 10 seconds providing the user ample time before automatically relocking the vertical locking bar. Unlock time can be set to a different value if specified when the order is placed. An optional Time-Set Button Key is also available. Digilock T-30 operates on 4-AAA batteries (included). Locking bolt moves horizontally and the lock functions similar to Master Lock Models 1630/31.



T52

Is designed for box lockers and lockers with a single point latch. Touching the User Button Key to the lock will retract the 1/2" deadlatch for 10 seconds providing the user ample time to open the door. The lock will relock when the locker door is closed. Unlock time can be set to a different value if specified when the order is placed. An optional Time-Set Button Key is also available. Digilock T-52 operates on 4-AA batteries (included). Latch moves horizontally and the lock functions similar to Master Lock Models 1652/53 or 1654/55.



T70

Is designed for all metal locker applications. Touching the User Button Key to the lock will lock and unlock the 1/2" deadbolt. Digilock T-70 operates on 4-AAA batteries (included). Locking bolt moves horizontally and the lock functions similar to Master Lock Models 1670/71.

PROGRAMMING BUTTON KEY

Used for registering User and Management Button Keys to a lock. The keys are registered by touching the Programming Button Key to the lock followed by the User or Management Button Key(s).



USER BUTTON KEY

Each User Button Key carries a unique digital identification that eliminates key duplication and unauthorized access. Only one User Button Key can be programmed per lock while multiple locks can be programmed with one key.



MANAGEMENT BUTTON KEY

Allows access to all locks in the system. Up to 25 Management Button Keys can be programmed per lock



TIME-SET BUTTON KEY

Digilock T-30 and T-52 are programmed with a 10 second default unlock time. This time can be changed with the use of a Time-Set Button Key.



POWER JUMPER

When the battery level is low, Digilock emits a low battery chirp when used. If the batteries fail, the Power Jumper provides external power to the lock for replacing the batteries located in the rear unit. A valid button key is also required to gain access to the lock.





5341 OLD REDWOOD HWY • SUITE 200
PETALUMA • CALIFORNIA 94954 • USA

PHONE: 707. 766.6000
FAX: 707. 766.6226

E-MAIL: SALES@DIGILOCK.COM

WWW.DIGILOCK.COM

