



Distilock

ADA COMPLIANT LOCKER LOCKS



## ADA COMPLIANT LOCKER LOCKS FOR METAL LOCKERS

CURRENT ADA GUIDELINES REQUIRE 5% OF LOCKERS TO BE ADA COMPLIANT\*. OFTEN, THESE ADA COMPLIANT LOCKERS ARE ORDERED WITHOUT A LOCKING DEVICE. THIS LEAVES THE END USER RESPONSIBLE FOR PROVIDING HIS/HER OWN LOCK.

SINCE OFF THE SHELF LOCKER LOCKS SUCH AS PADLOCKS, DIAL COMBINATION LOCKS AND KEY LOCKS ARE NOT ADA COMPLIANT, THE LOCKER ALTHOUGH ADA COMPLIANT WHEN PURCHASED BECOMES NON-COMPLIANT WHEN LOCKED WITH THE END USERS' SUPPLIED LOCK.

CURRENTLY, DIGILOCK ONE-TOUCH ACCESS LOCKS ARE THE ONLY LOCKER LOCKS THAT MEET ADA GUIDELINES. WHEN ORDERING ADA COMPLIANT LOCKERS, MAKE SURE THEY ARE EQUIPPED WITH DIGILOCK ADA COMPLIANT LOCKS TO ENSURE THAT YOUR LOCKERS MEET ADA GUIDELINES.

## SIMPLE AND SECURE SOLUTIONS WITH A ONE-TOUCH ACCESS LOCK



### T30

Designed for lockers with handles and a vertical locking bar. Touching the User Button Key to the lock will unlock the 1/2" deadbolt for 10 seconds providing the user ample time before automatically relocking the vertical locking bar. An optional Time-Set Button Key is also available. Digilock T-30 operates on 4-AA batteries (included). Locking bolt moves horizontally and functions similar to Master Lock Models 1630/31.



### T52

Designed for box lockers and lockers with a single point latch. Touching the User Button Key to the lock will retract the 1/2" deadlatch for 10 seconds providing the user ample time to open the door. The lock will relock when the locker door is closed. An optional Time-Set Button Key is also available. Digilock T-52 operates on 4-AA batteries (included). Latch moves horizontally and functions similar to Master Lock Models 1652/53 or 1654/55.



### T70

Designed for all metal locker applications. Touching the User Button Key to the lock will lock and unlock the 1/2" deadbolt. Digilock T-70 operates on 4-AA batteries (included). Locking bolt moves horizontally and functions similar to Master Lock Models 1670/71.

### FEATURES

- One-Touch access
- Audio / Visual Indicators for the visual and hearing impaired
- High security lock with a 1/2" deadbolt or deadlatch
- Snap together design provides instant installation to all metal lockers
- Non-Handed
- Operates on 4-AA batteries (included)



### PROGRAMMING BUTTON KEY

Used for registering User and Management Button Keys to a lock



### USER BUTTON KEY

Each User Button Key carries a unique digital identification that eliminates key duplication and unauthorized access.



### MANAGEMENT BUTTON KEY

Allows access to all locks in the system. Up to 25 Management Button Keys can be programmed per lock.



### TIME-SET BUTTON KEY


Digilock T-30 and T-52 are programmed with a 10 second default unlock time. This time can be changed with the use of a Time-Set Button Key.



### POWER JUMPER

When the battery level is low, Digilock emits a low battery chirp when used. If the batteries fail, the Power Jumper along with a valid Button Key provides external power to the lock.





9 WILLOWBROOK COURT  
PETALUMA CA 94954

PHONE: 707. 766.6000  
FAX: 707. 766.6226

E-MAIL: SALES@DIGILOCK.COM

[WWW.DIGILOCK.COM](http://WWW.DIGILOCK.COM)

\*ADA Accessibility Guidelines require 5% of all lockers to be ADA compliant. The locker lock may "not require tight grasping, tight pinching, or twisting of the wrist to operate." For more information on ADA Accessibility Guidelines contact the US Access Board or visit their website at [www.access-board.gov](http://www.access-board.gov). Digilock® is a registered trademark of Security People, Inc. Button Key TM is a trademark of Security People, Inc. Digilock is patented and protected under one or more of the following U.S. Patents: US 5,866,644 US 5,894,277. Other patents are pending.